



A Technical Bulletin

in support of

the interface between GS1 and *ISBT 128*

Bulletin Number 9

Blood Bag Identification Using *ISBT 128* and GS1

October 2008

Authors

Paul Ashford, MSc. CEng. CSci.
Executive Director, ICCBBA

Pat Distler, MS, MT(ASCP)SBB
Technical Director, ICCBBA

Jørgen Georgsen, MD
Medical Director, Funen Transfusion Service

Christian Hay, Master of Law
Senior Consultant, GS1 Global Office

Ulrike Kreysa
Group Manager Healthcare, GS1 Global Office

Christine Larson
Principal Engineer, Fenwal Inc.

Karen Peterson-Doyle
Sr. Director, Global Labeling, Pall Corporation



Published by:
ICCBBA

P.O.Box 11309, San Bernardino, CA 92423-1309, USA
www.isbt128.org

Table of Contents

Acknowledgement.....	3
1 Introduction.....	4
2 GS1 Structures	5
2.1 Global Trade Item Number (GTIN: AI 01)	5
2.2 Lot Number (AI 10).....	6
2.3 Expiry Date (AI 17).....	6
2.4 Data Encoded in the GS1 Label	7
3 <i>ISBT 128</i> Structures	8
3.1 Container Manufacturer and Catalog Number (Data Structure 017)	8
3.2 Container Lot Number (Data Structure 018)	9
4 Mapping Between Structures	10
4.1 Product Identification	10
4.2 Lot Numbers.....	10

Acknowledgement

This technical bulletin was prepared by a joint task group formed of representatives from GS1, ICCBBA, and blood bag vendors.

1 Introduction

This technical bulletin provides guidance to blood bag manufacturers, their customers, and software developers on the bar coding of blood bags and their shipping containers. It deals with the relationship between information held in the GS1 carton codes and the *ISBT 128* blood container label codes, and recommends ways to simplify the mapping between this information.

The main business driver for achieving this mapping is to allow blood collection facilities to scan the GS1 carton codes on receipt into stores in order to increment stock levels, and then decrement stock by the scanning of the *ISBT 128* codes on the individual sets at the time of use.

The two critical pieces of information required to achieve this mapping are:

- the product identification, represented in the GTIN (AI=01) in GS1 and the Container Manufacturer and Catalogue Number (data structure [017]) in *ISBT 128*
- the lot number, represented in the Batch or Lot Number (AI=10) in GS1 and the Container Lot Number (data structure [018]) in *ISBT 128*

2 GS1 Structures

The following are extracts of the GS1 General Specifications, version 8.0, issued May 2008

2.1 Global Trade Item Number (GTIN: AI 01)

Purpose: Identification key for the carton, pointing to product information which the manufacturer populates either by Electronic Data Interchange (EDI) message PRODAT or by Data Synchronization Network (GDSN), or by other means defined bilaterally. There are 3 kinds of GTINs:

- The GTIN-12 is the 12-digit GS1 Identification Key composed of a U.P.C. Company Prefix, Item Reference, and Check Digit used to identify trade items.
- The GTIN-13 is the 13-digit GS1 Identification Key composed of a GS1 Company Prefix, Item Reference, and Check Digit used to identify trade items.
- The GTIN-14 is the 14-digit GS1 Identification Key composed of an Indicator digit (1-9), GS1 Company Prefix, Item Reference, and Check Digit used to identify trade items.

Structure:

Format of the Element String													
Global Trade Item Number (GTIN)													
Indicator	GTIN of Contained Trade Items (Without Check Digit)												Check Digit
N ₁	0	0	0	0	0	N ₇	N ₈	N ₉	N ₁₀	N ₁₁	N ₁₂	N ₁₃	N ₁₄
N ₁	0	N ₃	N ₄	N ₅	N ₆	N ₇	N ₈	N ₉	N ₁₀	N ₁₁	N ₁₂	N ₁₃	N ₁₄
N ₁	N ₂	N ₃	N ₄	N ₅	N ₆	N ₇	N ₈	N ₉	N ₁₀	N ₁₁	N ₁₂	N ₁₃	N ₁₄

The Indicator is a digit with a value of 1 to 8. It is assigned as required by the company that constructs the identification number. It can provide up to eight separate GTIN-14 to identify groupings of trade items. The 12-, or 13-digit GTIN of the trade items contained must always be the one of the relevant levels of packaging contained, usually the lowest level. If the brand owner considers the carton as the lowest level of packaging, it has to be identified with a GTIN-13 or a GTIN-12 (this means that the indicator is a digit with a value of 0 – see two first lines above).

2.2 Lot Number (AI 10)

Purpose: Indicates that the GS1 Application Identifier data field contains a batch or lot number. The batch or lot number associates an item with information the manufacturer considers relevant for traceability of the trade item to which the Element String is applied. The data may refer to the trade item itself or to items contained. The data is alphanumeric and may include all characters contained in ISO/IEC 646.

Format of the Element String	
Application Identifier	Batch or Lot Number
1 0	X ₁ ————— variable length —————> X ₂₀

The Element String represents an attribute of a trade item; therefore the lot number should not be processed on its own, but together with the GTIN of the trade item to which it relates.

2.3 Expiry Date (AI 17)

Purpose: Indicates that the GS1 Application Identifier data fields contain an expiration date. The expiration date is the date that determines the limit of consumption or use of a product. The structure is:

- Year: the tens and units of the year (e.g., 2003 = 03), which is mandatory
- Month: the number of the month (e.g., January = 01), which is mandatory
- Day: the number of the day of the relevant month (e.g., second day = 02); if it is not necessary to specify the day, the field must be filled with two zeros

Format of the Element String			
Application Identifier	Expiration Date		
	Year	Month	Day
1 7	N ₁ N ₂	N ₃ N ₄	N ₅ N ₆

The Element String represents an attribute of a trade item; therefore the expiration date should not be processed on its own, but together with the GTIN of the trade item to which it relates.

2.4 Data Encoded in the GS1 Label

The data carrier to be usually used on the carton is the GS1-128. This data carrier can encode the GTIN and its attributes in one or eventually two lines. The following example helps understand the processing of data which is captured:



(01)03123451234569(17)000201(10)X245

- GS1-128 is recognised by the initial character FNC1 (see ISO/IEC 15417 and 15424)
- The Application Identifiers (AI) are encoded without brackets in the GS1-128. Application Identifiers are defined in GS1 General Specifications
- AI 01: The Application Identifier (01) indicates that the GS1 Application Identifier data field contains a GTIN.
- AI 17: The Application Identifier (17) indicates that the GS1 Application Identifier data fields contain an expiration date.
- AI 10: The Application Identifier (10) indicates that the GS1 Application Identifier data field contains a batch or lot number.
- Sequence of AIs starts usually with (01); it is up to the user to continue with (10) or (17). The label is shorter if the variable length (10) is placed at the end of the barcode.

3 ISBT 128 Structures

The following are extracts from the ISBT 128 Technical Specification, version 3.3.0, dated May 2008

3.1 Container Manufacturer and Catalog Number (Data Structure 017)

Purpose: To specify the manufacturer and catalog number of the container set and the identifying character(s) of the individual container(s) in the set. (See the *ISBT 128 Standard Technical Specification* for use of the Manufacturer’s Data File in conjunction with this data structure).

Structure: =)bqqwwwwwww.

Element	Length	Type
=	1	data identifier, first character
)	1	data identifier, second character
b	1	alphanumeric {A–Z; 0–9}
qq	2	alphanumeric {A–Z; 0–9}
wwwwwww	7	alphanumeric {A–Z; a–z; 0–9}

The ten (10)-character data content string, bqqwwwwwww is encoded and interpreted as follows:

b is the container identification character in a container or transfer set. The value of b is set as follows:

For whole blood collection 1-9 et seq is used. 1 is reserved for the primary collection container;

For apheresis collection sets A-Z et seq is used .

For transfer container/sets, 0 (zero) is used. If more than one type of container is present in the transfer set, numeric characters 2-9 may also be used. (The number 1 is reserved for the primary bag of a whole blood collection set.)

- qq specifies the identity of the container set manufacturer and is encoded and interpreted from the Manufacturer ID Code table (Table W1) that can be found on the ICCBBA website.
- wwwwwww is the manufacturer's catalog number. This must be interpreted from information provided by the manufacturer. If the catalog number is less than seven (7) characters, it should be padded with zeroes at the beginning of the string (i.e., the catalog number 27QzE would be transmitted as 0027QzE).

Used in conjunction with the Manufacturer's Data file (see the *ISBT 128* Standard Technical Specification), this data structure can be a powerful tool for process control. With use of appropriate software and downloading of the data file, much information about the container set can be determined automatically. This information includes such things as the number of bags in the set, the anticoagulant/preservative and the intended nominal collection volume.

3.2 Container Lot Number (Data Structure 018)

Purpose: To specify the manufacturer's lot number for the container set.

Structure: &)xxxxxxxxxx.

Element	Length	Type
&	1	data identifier, first character
)	1	data identifier, second character
xxxxxxxxxx	10	alphanumeric {A-Z; a-z; 0-9}

The ten (10)-character data content string, xxxxxxxxxxxx, encodes the manufacturer's lot number. If the lot number is less than ten (10) characters, it should be padded with zeroes at the beginning of the string (i.e., the lot number 1234rZ would be transmitted as 00001234rZ).

Because lot numbers can be padded with zeroes, ideally they should not begin with a 0 (zero). If the lot number begins with 0 (zero), the manufacturer must have a mechanism to ensure correct identification of the lot number when a problem is reported and the lot number is indicated without the leading 0 (zero).

4 Mapping Between Structures

4.1 Product Identification

The GTIN used on the outer carton will be unique to the specific item (catalogue number) contained in the carton. The number will not change between lots, but will change if there is any change in specification of the item or if the number of items in the carton changes. The *ISBT 128* data structure 017 will not change between lots, but will change if there is any change in specification of the item. This data structure does not change if the number of items in the carton changes.

As the GTIN and data structure 017 do not have any structural similarities, manufacturers should provide a means for their customers to create the necessary one to one mapping on receipt of product. The information should be provided either by including the GTIN within the *ISBT 128* Manufacturers Data File or by providing both identifiers in an electronic readable format on the dispatch documentation.

The *ISBT 128* Manufacturer Data File has been modified to include new data labels for this purpose: GS1GTIN holds the GTIN of the carton, and GS1GTINCONTENT holds the number of collection sets in the carton specified by the GTIN.

Customer systems should maintain a lookup table containing the 1-1 mapping between these two identifiers.

4.2 Lot Numbers

The Lot Number should be incorporated into both GS1 (AI=10) and *ISBT 128* (Data Structure 018). Because the GS1 structure supports variable length the lot number can be included directly. In *ISBT 128* the field is a fixed length of 10 characters so the Lot Number should be padded with leading zeros.

It must be borne in mind that the actual Lot Number itself may commence with a leading zero and this can lead to some confusion in comparing the information in the two structures. The following algorithms will ensure accurate mapping:

GS1 to ISBT 128

Take Lot Number from GS1
Add leading zeros until length is 10
Compare with *ISBT 128* Lot Number

ISBT 128 to GS1

Take Lot Number from *ISBT 128*
Remove leading zeros until length is same as GS1 Lot Number
Compare with GS1 Lot Number.

ICCBBA Editorial Board

Suzanne Butch, MA, MT(ASCP)SBB

Ann Arbor, MI, USA

Pat Distler, MS, MT(ASCP)SBB

Redlands, CA, USA

Jørgen Georgsen, MD

Odense, Denmark

Suzy Grabowski, BA, BB(ASCP)SBB

Houston, TX, USA

Mario Muon, MD

Coimbra, Portugal

Editor

Paul Ashford, MSc. CEng. CSci.

Executive Director, ICCBBA

Rochester, UK

Warranty

ICCBBA, Inc provides no warranty that the use of *ISBT 128* is suitable for any particular purpose and the selection, use, efficiency and suitability of *ISBT 128* is the sole responsibility of the Licensed User.

Liability

ICCBBA, Inc's liability is limited to that specified in the ICCBBA, Inc. License Agreement which is available on the ICCBBA web site. Under no circumstances shall ICCBBA, Inc's liability exceed the current annual license fee, and ICCBBA, Inc will in no circumstances be liable for any damages whatsoever, including without limitation damages for loss of data, business or goodwill or any other consequential losses of any nature arising from the use of *ISBT 128*.

COPYRIGHT NOTICE AND LICENSING INFORMATION

ISBT 128 is not in the public domain and is protected by law. Implementation of *ISBT 128* requires the end-user to register with ICCBBA, Inc and to pay an annual license fee. License fees are established by the ICCBBA, Inc Board of Directors to cover the expenses of maintaining and extending *ISBT 128*, and making available current versions of the documents and database tables that are needed to implement this *Standard*.

This *Standard* is intended for the use of those implementing *ISBT 128*, regulatory agencies, and software developers and other manufacturers that support end-users.

Although it is made available to anyone wishing to obtain a copy, national “*Guidelines*” describing its use in a particular country may be an additional source of information for the end-user. If such “*Guidelines*” exist, they must be consulted because there are options in *ISBT 128*, and country-specific information pertaining to the particular use of such options will only be found in such “*Guidelines*.”

Any use of this *Standard*, or the accompanying database tables, by other than registered and licensed facilities, or facilities that have obtained their computer software from a registered and licensed developer, is strictly forbidden. Copying any portion of the *Standard*, or of any accompanying database table, either in electronic or other format, without express written permission from ICCBBA, Inc is strictly forbidden. Posting of any portion of the *Standard*, or of any accompanying database table, to any online service by anyone other than ICCBBA, Inc is strictly forbidden.

There are no guarantees or warranties attached to this *Standard* other than that ICCBBA, Inc agrees to furnish registered and licensed end-users with the most up-to-date information available. Successful implementation of this *Standard*, and use of any accompanying database table(s), depend(s) upon the correct incorporation of the rules and table contents into the software used by or provided to the registered and licensed facility. ICCBBA, Inc makes no other warranties of any kind, whether expressed or implied, including any implied warranty of merchantability or fitness for any particular purpose. Further information can be found at www.iccbba.org.